


Mailboxes shall be of the breakaway type construction and shall meet the following criteria:

- A. Maximum 4"x4" or 4 1/2" round timber post
- B. Maximum 2" I.D. nominal pipe size steel post
- C. Boxes shall be no larger or heavier than the U.S. postal standards.

MAILBOX POSTS SHALL NOT BE SET IN CONCRETE!!



STANDARD MAILBOX APPROACH


Pickaway County Engineer

Dep. Pickaway County Engineer


Approved:

Revised

Mailbox Approach Standards



UNDERGROUND UTILITIES




CALL TOLL FREE 800-382-2764
OHIO UTILITIES PROTECTION SERVICE

Mailboxes shall be of the breakaway type construction and shall meet the following criteria:

- A. Maximum 4"x4" or 4 1/2" round timber post
- B. Maximum 2" I.D. nominal pipe size steel post
- C. Boxes shall be no larger or heavier than the U.S. postal standards.

MAILBOX POSTS SHALL NOT BE SET IN CONCRETE!!



MINIMUM STANDARDS FOR URBAN/RURAL ROADSIDE MAILBOX


Pickaway County Engineer

Dep. Pickaway County Engineer



Approved:

Revised

**Standard
Urban/Rural
Mailbox Installation**



UNDERGROUND UTILITIES
CALL
2 WORKING DAYS
BEFORE YOU DIG
CALL TOLL FREE 800-382-2764
OHIO UTILITIES PROTECTION SERVICE



Mailboxes shall be of the breakaway type construction and shall meet the following criteria:

- A. Maximum 4"x4" or 4 1/2" round timber post
- B. Maximum 2" I.D. nominal pipe size steel post
- C. Boxes shall be no larger or heavier than the U.S. postal standards.

MAILBOX POSTS SHALL NOT BE SET IN CONCRETE!!

GROUP MAILBOXES

WITH ANTI-TWIST PLATES (METAL POSTS ONLY)


Pickaway County Engineer

Dep. Pickaway County Engineer

Approved:


Revised

Standard Group Mailbox Installation




UNDERGROUND UTILITIES

CALL



CALL TOLL FREE 800-382-2764
GEO UTILITIES PROTECTION SERVICE



Mailboxes shall be of the breakaway type construction and shall meet the following criteria:

- A. Maximum 4"x4" or 4 1/2" round timber post
- B. Maximum 2" I.D. nominal pipe size steel post
- C. Boxes shall be no larger or heavier than the U.S. postal standards.

MAILBOX POSTS SHALL NOT BE SET IN CONCRETE!!

STANDARD MAILBOX INSTALLATION

Pickaway County Engineer

Dep. Pickaway County Engineer

Approved:

Revised

Standard Mailbox Installation

